Seed Starting & Planting Chart

| Plant | Start Indoors | Germination Period | Direct Sow (spring | My Sow |
|------------------|----------------------|--------------------|-------------------------|-----------------|
| | | | and fall dates if | Date (my |
| | | | applicable for fall | last frost |
| | | | crops) | date |
| | | | | My first |
| | | | | frost date |
| | | | |) |
| | | | | |
| Basil | 4–8 weeks, plant | 5–10 days | 2–4 weeks after last | |
| | outside 2–3 weeks | | frost | |
| | after last frost | | | |
| Beans, bush, | You can start | 6-18 days | 3 to 4 weeks after last | |
| pole and shelled | indoors on the last | | frost | |
| | frost date but | | | |
| | beans don't like | | | |
| | their roots messed | | | |
| | with and I prefer | | | |
| | to direct sow | | | |
| Beets | 3 weeks before last | 5-21 days | 2 to 4 weeks before | |
| | frost, plant outside | | last frost and sow up | |
| | on last frost date | | to 8 weeks before | |
| | | | first frost in fall | |

| Broccoli | 7 weeks before last | 4–20 days | 2 weeks before last |
|------------------|----------------------|-------------|-----------------------|
| | frost, plant outside | | frost, 10 to 12 weeks |
| | 2 weeks before | | before first frost in |
| | last frost | | fall |
| Brussels sprouts | s 2–3 weeks before | 5–15 days | 2 weeks after last |
| | last frost, plant | | frost, can direct sow |
| | outside 2 weeks | | 10 weeks before first |
| | after last frost | | frost in fall |
| Cabbage | 6 weeks before last | 4–20 days | 2 weeks before last |
| | frost, plant outside | | frost, 6 to 8 weeks |
| | 2 weeks before | | before first frost in |
| | last frost | | fall |
| Carrot | | 7 – 21 days | 2 – 4 weeks before |
| | | | last frost, 8 to 12 |
| | | | weeks before first |
| | | | |
| | | | frost in fall |
| Cauliflower | 8–10 weeks | 4–10 days | 2 weeks before last |
| | before last frost, | | frost |
| | plant outside 4 | | |
| | weeks before last | | |
| | frost | | |

| | Fall crop start 12 | | | |
|-----------|-----------------------|-------------|-------------------------|--|
| | – 14 weeks before | | | |
| | first frost, plant | | | |
| | outside 8 weeks | | | |
| | before first fall | | | |
| | frost | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Chard | 4 weeks before | 5-21 days | Last frost date, | |
| | last frost, plant | | 10 to 12 weeks | |
| | outside last frost | | before first frost date | |
| | date | | in fall | |
| | | | | |
| Cilantro/ | 4–8 weeks before | 5–10 days | 2 weeks before last | |
| Coriander | last frost, plant | | frost, 6 – 8 weeks | |
| | outside right at last | | before first frost in | |
| | frost | | fall | |
| Corn | Best direct sown | 3 – 10 days | 2 weeks after last | |
| | | | frost | |
| | | | | |

| Cucumber (see | | | | |
|---------------|------------------|-----------|---|---|
| Summer | | | | |
| Squash) | | | | |
| Dill | Best direct sown | 2–3 weeks | 4 weeks after last | |
| | | | frost or when soil | |
| | | | temp is 60 degrees | |
| | | | Fahrenheit or warmer | |
| Garlic | | | Plant cloves in | |
| | | | ground between 2 | |
| | | | weeks before and 2 | |
| | | | weeks after first frost | |
| | | | in fall for summer | |
| | | | harvest, mild winter | |
| | | | climates can plant | |
| | | | bulbs 8 to 10 weeks | |
| | | | before first frost in | |
| | | | spring for late | |
| | | | summer harvest if | |
| | | | ground isn't frozen | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | before first frost in spring for late summer harvest if | _ |

| Kale | 3 to 6 weeks | 4–9 days | 2 -4 weeks before |
|----------|---------------------|------------|--------------------|
| | before last frost, | | last frost, 6 to 8 |
| | plant outdoors 2 -3 | | weeks before first |
| | weeks before last | | frost in fall |
| | frost | | |
| Lettuce | 6–8 weeks before | 2–15 days | 2–4 weeks before |
| | last frost, plant | | last frost and 6–8 |
| | outdoors 3 to 4 | | weeks before first |
| | weeks before last | | frost in fall |
| | frost | | |
| Marjoram | 2–3 weeks; plant | 8–10 weeks | 1 week after last |
| | outside after all | | frost |
| | danger of frost has | | |
| | past | | |
| Melon | Last frost date, | 4–10 days | 4 weeks after last |
| | plant outdoors 4 | | frost |
| | weeks after last | | |
| | frost | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| Okra | 6 – 4 weeks | 5 – 12 days | 4 weeks after last |
|---------|-----------------------|------------------|-----------------------|
| | before last frost, | | frost |
| | plant outside 4 | | |
| | weeks after last | | |
| | frost | | |
| Onion | 10–16 weeks | 7–28 days | bulbs 6 weeks |
| | before last frost | | before or 4 weeks |
| | | | after last frost |
| Parsnip | | 10 – 21 days | 2 weeks before last |
| | | | frost through 12 |
| | | | weeks before first |
| | | | frost in fall |
| Pea | 8 weeks before | 6–17 days | 4–6 weeks before |
| | last frost, plant out | | last frost through 12 |
| | 4 weeks before | | weeks before first |
| | last frost | | frost in fall |
| Pepper | 4–8 weeks before | Hot, 14–28 days | Put seedlings out 3– |
| | last frost | Sweet, 7–14 days | 4 weeks after last |
| | (in cooler | | frost |
| | climates I | | |
| | recommend 8 | | |
| | weeks) | | |

| Potato | | | 2- 4 weeks before | |
|------------|---------------------|-------------|-----------------------|--------|
| | | | last frost in spring | |
| Radish | | 3 – 10 days | 2 – 4 weeks before | |
| | | | last frost in spring | |
| | | | through 8 weeks | |
| | | | before first frost in | |
| | | | fall | |
| Spinach | 8 – 6 weeks | 5 – 21 days | 6 weeks before last | |
| | before last frost, | | frost in spring | |
| | plant out 4 weeks | | through 6 weeks | |
| | before last frost | | before first frost in | |
| | | | fall | |
| Squash, | 2 weeks | 3–10 days | 2–4 weeks after last | |
| Summer and | before last frost | | frost | |
| Winter | | | | |
| Summer | 6–8 weeks; plant | 2–3 weeks | 1 week after last | Summer |
| Savory | outdoors after all | | frost | Savory |
| | danger of frost has | | | |
| | passed | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| Sweet Potato | | | 3 - 4 weeks after last | |
|--------------|----------------------|-------------|------------------------|--|
| | | | frost in spring | |
| | | | | |
| Tomato | 2–8 weeks | 5–14 days | | |
| | before last frost (8 | | | |
| | to 10 weeks for | | | |
| | cold climates) | | | |
| Turnip | | 5 – 10 days | 2 – 4 weeks | |
| | | | before last frost, 4 | |
| | | | weeks before first | |
| | | | frost in fall | |